

What are the McAfee IP ranges for possible firewall an...

Author:
Webservio Inc.

Created On: 15 Nov 2013 9:28 AM

Preferred Setting

If your firewall solution accepts Classless Inter-Domain Routing (CIDR) and can support Class 8 C notation please include the following:

Â

CIDR
Starting IP
Ending IP

208.65.144.0/21
208.65.144.0
208.65.151.255

208.81.64.0/21
208.81.64.0
208.81.71.255

Â

Alternate Setting (1)

If your firewall solution accepts Classless Inter-Domain Routing (CIDR) and only supports Class 1 C notation, you will need to include the following entries to the entire subnet:

Â

CIDR
Starting IP
Ending IP

208.65.144.0/24
208.65.144.0

208.65.144.255

208.65.145.0/24
208.65.145.0
208.65.145.255

208.65.146.0/24
208.65.146.0
208.65.146.255

208.65.147.0/24
208.65.147.0
208.65.147.255

208.65.148.0/24
208.65.148.0
208.65.148.255

208.65.149.0/24
208.65.149.0
208.65.149.255

208.65.150.0/24
208.65.150.0
208.65.150.255

208.65.151.0/24
208.65.151.0
208.65.151.255

208.81.64.0/24
208.81.64.0
208.81.64.255

208.81.65.0/24
208.81.65.0

208.81.65.255

208.81.66.0/24
208.81.66.0
208.81.66.255

208.81.67.0/24
208.81.67.0
208.81.67.255
208.81.68.0/24 208.81.68.0 208.81.68.255
208.81.69.0/24 208.81.69.0 208.81.69.255
208.81.70.0/24 208.81.70.0 208.81.70.255
208.81.71.0/24 208.81.71.0 208.81.71.255

Alternate Setting (2)

If your firewall solution does not accept Classless Inter-Domain Routing (CIDR) notation, you will need to include the starting and ending IP address for either the Class 8 C addresses or the Class 1C addresses which are included above.

For the 208.65.144.0/21 range, use the following:

Netmask = 255.255.248.0 HostMin = 208.65.144.1 HostMax = 208.65.151.254

For the 208.81.64.0/21 range, use the following:

Netmask = 255.255.248.0 HostMin = 208.81.64.1 HostMax = 208.81.71.254